

Safety data sheet

1.Identification of chemicals and manufacturers

Chemical name: Sanvo fine interior wall paint

Product Code: E

Manufacturer: Guangdong Sanvo Chemical Industry Technology Limited

Address: Dacen Industrial Park, Huangpu town, Zhongshan City, Guangdong Province, China

Postal Code: 528429.China

Tel: 0760-28163797

Company emergency callnumber:0532-83889090

Fax: 0760-28163118

E-mail address: sanvo@sanvo.com

Recommended use: interior wall coating

2. Hazard identification

Emergency overview

A viscous liquid with uniform dispersion and no precipitation. It is nonflammable

at normal temperature. No acute health hazard.

GHS risk category According to GHS, the product is non-hazardous and has no GHS classification.

Physical and chemical

hazards

The product is nonflammable at normal temperature and meets the

requirements of GB 8624-2006 classification of combustion performance of

building materials and products (Grade B).

Environmental effect No data available.

Other hazards No data available.

3.Ingredients / ingredients information

Substance / mixture mixture

Main components	CAS number.	Concentration or concentration range (% w / W)
Pure acrylic polymer	Proprietary	20- 40
Propylene glycol	57-55-6	0.5-1.5
Dodecyl alcohol ester	25265-77-4	0.5-20
Titania	13463-67-7	0-30

4. First aid measures

Inhalation

Move the victim to fresh air and rest in a comfortable breathing position.



If you have difficulty breathing, give oxygen. If breathing stops, perform artificial respiration immediately. If symptoms persist, seek medical attention. If you feel unwell, please call the poisoning center or your doctor.

Take off contaminated clothes. Wash with plenty of soap and water. If you don't feel well, see a doctor. If skin irritation occurs: seek medical

attention. Clean contaminated clothing before reuse.

Rinse with water for at least 15 minutes.

If irritation occurs and persists, seek medical attention.

Call a doctor or poison control immediately. Gargle. Don not induce vomiting. If vomiting occurs, keep your head down so that nothing in

your stomach gets into your lungs.

Skin contact

Eye contact

Intake

5. Fire fighting measures

Fire extinguishing medium Bubbles. Powder. Carbon dioxide (CO2).

Special risk

The product is nonflammable under normal temperature, and the formulation of the product meets the requirements of GB 8624-2006 "classification of combustion performance of building materials and products" (Grade B).

Fire fighting methods

First, cut off the fuel source and evacuate people. Spray water to keep the container cool and use fire extinguishing agent from the wind down.

Special protective equipment for firefighters

Wear positive pressure self-contained breathing apparatus and protective clothing to protect the whole face.

6.Measures for accidental leakage

Personnel protection and emergency disposal

Cut off the source of the leak first. Quickly evacuate the personnel from the contaminated area to the safe area, isolate them and strictly restrict their access. It is suggested that emergency personnel should wear masks, gloves, goggles and anti-static clothing.

Environmental protection measures

Cut off the leakage source and prevent it from flowing into soil, river, sewer, flood discharge ditch, etc.

Leakage disposal

Absorb it with sand or other inert materials, then put it into a closed container, and recycle or transport it to the waste treatment site for disposal.

Preventive measures to prevent secondary disasters

Prevent leakage from entering sewers, surface water and groundwater.

Preventive measure

When carrying, it should be loaded and unloaded lightly to prevent the package and container from being damaged. Equipped with corresponding leakage emergency treatment equipment.

7. Handling and storage

Precautions for operation and disposal

Operators should be trained and strictly abide by the operating procedures. Avoid contact with eyes and skin, avoid inhalation of steam. See Part 8 for personal protective measures. When carrying, it should be loaded and unloaded lightly to prevent the package and container from being damaged. Empty containers may contain harmful substances. Wash hands after use and prohibit eating in the workplace.



Storage considerations

Store in a cool and dry place with good ventilation to prevent skin contact. It should be stored separately from food chemicals and should not be mixed (see Part 10 for prohibited substances). Keep the container sealed. The storage area shall be equipped with leakage emergency treatment equipment and suitable storage materials.

8.Exposure control / personal protection

Permissible concentration:

No information.

Respiratory protection:

If engineering control is not feasible or exposure exceeds the applicable exposure limits, use NIOSH approved cartridge respirators with engine steam cylinders. Use self-contained breathing apparatus in confined space and emergency situations. Air monitoring is needed to determine the actual exposure level of employees.

Hand protection:

Wear protective gloves, such as nitrile rubber. Polyvinyl chloride (PVC). Fluororubber / butyl rubber.

Eye protection:

Wear safety glasses with side shields (or goggles).

Skin and body protection:

Wear appropriate chemical resistant clothing.

Health measures:

Do not eat, drink or smoke when using.

Always maintain good hygiene, such as washing hands after eating, drinking and / or handling substances and before smoking.

Clean work clothes and protective equipment regularly to remove contaminants.

9. Physical and chemical properties

Appearance and character A viscous liquid with uniform dispersion and no precipitation.

Density / relative density (1

for water)

smell Slight paint smell.

PH value 8-10.

Melting point (^{\circ}C) Not applicable.

Relative vapor density (1 for No information.

Evaporation rate (butyl

air)

acetate as 1)

No information.

Flash point ($^{\circ}$) Not applicable.

Solubility Slightly soluble in water.

Flammability It does not burn.

decomposition temperature No information.

Polymerization hazard No polymerization hazard.



Odor threshold (mg / m3)No information.viscosity90-125KU(25 $^{\circ}$ C).

Boiling point (^{\circ}C) No information.

Saturated vapor pressure

(kPa)

No information.

Heat of combustion (kJ/

mol)

Not applicable.

Explosion limit Not applicable.

Partition coefficient of n-

octanol / water

No information.

Spontaneous combustion

temperature

Not applicable.

Heat of combustion (kJ /

mol)

Not applicable.

No data available.

10.Stability and reactivity

The product is stable when stored and used at the Stability

recommended ambient temperature.

Conditions to avoidStrong oxidant, strong acid and strong base.

Fire source, high temperature, direct sunlight.

Decomposition productsNo data available.

11.toxicological information

Acute toxicity

Eye irritation or corrosion

Germ cell mutagenicity

carcinogenicity

Specific target organ

No data available.

No data available.

No data available.

No data available.

systemic toxicity - single

exposure

Specific target organ

systemic toxicity repeated

exposure

Further information No data available.

Skin irritation or corrosion No data available.

Respiratory tract or skin No data available.

allergy

Reproductive toxicityInhalation hazard
No data available.
No data available.

12. Ecological information



Biotoxicity No data available.

Persistence and

No data available. degradability

Bioaccumulation or

No data available. bioaccumulation

Mobility in soil No data available.

13.Disposal considerations

Recycle as much as possible. If it cannot be recycled, it will be Waste chemicals

treated as hazardous waste. It is forbidden to discharge into sewers

for treatment.

Send the container to a qualified waste disposal company for disposal. Contaminated packaging

Precautions for waste

disposal

Operators should wear appropriate personal protective equipment. Pay attention to local waste disposal regulations and dispose

according to environmental protection requirements.

14. Transportation information

UN number of dangerous goods None (the product is not dangerous goods).

UN transport name None. UN risk classification None.

Packaging method It is packed in iron drums.

Marine pollutants (yes / no) No.

> Mixed loading and transportation with oxidants, food and chemicals are prohibited. Loading and unloading with

care to prevent package and container damage. Prevent Transportation precautions

sunlight exposure, avoid package leakage. During transportation, it should be protected from sunlight, rain

and high temperature.

15.Regulatory information

Regulatory information:

- 1.Regulations on the safety administration of dangerous chemicals Order No. 344 of the State Council
- 2. GB 12268-2005 list of dangerous goods
- 3. Contents and project sequence of GB / T 16483-2008 technical instructions for chemical safety
- 4. GB 15258-2009 regulations on Preparation of chemical safety labels
- 5. General rules for classification and hazard publicity of chemicals (GB 13690-2009)



6.Safety code for classification, warning label and warning description of chemicals (gb20576 \sim 205992060120602)

7.Order No.1 of Ministry of environmental protection and national development and Reform Commission order; Republic of China on the list of hazardous wastes

16.Other information

Literature reference

- 1. 2007Globally harmonized classification and labelling of chemicals (Second Revision)
- 2. 2015Model Regulations on the transport of dangerous goods
- 3. International Maritime Dangerous Goods (version 34-08)
- 4. Safety technical manual of hazardous chemicals, chemical industry press, 1997
- 5. 2011Regulations on safety management of dangerous chemicals
- 6. List of dangerous goods (GB 12268-2012)
- 7. Classification and coding of dangerous goods (GB6944-2012)
- 8. Preparation of technical code for safety of hazardous chemicals (GB 16483-2000)
- 9. Classification and marking of common dangerous chemicals (GB 13690-92)

Professional training: personnel engaged in the loading, unloading and transportation of dangerous goods must receive the training on the requirements of loading, unloading and transportation of dangerous goods, general knowledge or familiarity, special functional training and safety training, etc.

Released: April 11, 2016

Drafting department: Waterproof Building Coating Research Institute of Guangdong Sanvo Chemical Industry Technology Limited.

Data audit unit: Guangdong Sanvo Chemical Industry Technology Limited.

Version: 1.0