



SANVO

PRODUCT CATALOG

One-Stop-Solution Provider for
Construction Materials and Automobile
Maintenance.



SANVO Fine Chemicals Group Limited

Manufacturer: Guangdong SANVO Chemical Industry Technology Limited
Guangdong SANVO Holdings Limited.
Guangdong FUVO Industry Limited.
Guangdong Shunde SANVO Chemical Industry Limited
Zhongshan MINHE Chemical Industry Technology Limited
Address: Dacen Industrail Park, Huangpu Town, Zhongshan
City, Guangdong, China
Email: export@sanvo.com <http://www.sanvochemicals.com>

CATALOG



01
Aerosol Series
Products




17
Silicone Series
Products



27
Synthetic Rubber
Series Products



37
Waterproof
Building Coating
Series Products



49
Furniture &
Decoration Paint
Series Products



55
Brake Fluid
Series Products





About Sanvo



1994-2002

Originally the Guangdong SANVO Chemical Technology Co., Ltd. in 1994, we soon entered the market as "SANVO" in 1997. By 2002, the SANVO Fine Chemicals Group was established, whereby we gained a reputation for excellent formulation for our line of coating, adhesives, and aerosol paints.

2002-2010

Having passed the ISO9001 and ISO14001 certification in 2006, we began to develop products for our overseas markets. From 2007 to 2010, SANVO has won numerous accolades from universities and scientific institutes for our research and development contributions. As such, we have established teaching facilities to train more experts to set standards for the industry.

2010-2016

Participation in the drafting of JC/T2083-2011 and JC/T2082-2011 standards in 2012 has improved our standing in global regions. The OA office automation system was fully launched in 2014. In 2015, we established a group marketing headquarters to improve our reach. We put into production in 2016 the Futian division, e-commerce department, and twin-screw extruder.

2016-2020

As we updated our brand strategy by 2017, SANVO Group's revenue exceeded 1 billion yuan for the first time. Improvements on our brand image and furniture paint capabilities were made in 2018. Along with obtaining CE certification and opening to the EU market in 2019, we were officially listed on the Hong Kong Stock Exchange.




▲ Guangdong SANVO Chemical Industry Technology Limited(SV Plant)





▲ Guangdong SANVO holding Limited(SK plant) ▲Guangdong Shunde SANVO Chemical Industry Limited(XV Plant)


Founded in 2002, SANVO Fine Chemicals Group is a technology group integrating science, industry and trade, dedicated to the R & D, manufacturing and sale of aerosol, silicone, synthetic rubber, lubricant (including lubricating oil and lubricating grease), waterproof building coating, furniture paint, decoration paint and other products.

SANVO Fine Chemicals Group entered the Chinese market with the brand of **SANVO三和**, and entered the international market with the brand of **SANVO**. It adheres to "Science for Life, Innovation Leads the Future" as its mission. It was listed on the HK main board of Hong Kong Stock Exchange in 2020 (stock code: 301.HK), and has now developed into a well-known brand in the fine chemical industry in the domestic vehicle maintenance and construction/decoration materials.



Certification





Aerosol Series Products

General Purpose Spray Paint

Features

Sano Spray Paint is a thermoplastic acrylic aerosol spray paint and it has the characteristic of easy performance, good atomization, high spray rate. The paint can dry fast and the film finish has excellent hardness, adhesion, gloss and flexibility, impact resistance, colorful surface and good decorative effect, wonderful protect ability.

1. High-quality, high solid content.
2. Fast-drying, multiple use.
3. Perfect paint film and effect.
4. Durable and excellent weather resistance.

Application

It can be widely used for metals, wood with finished surfaces, glass, ABS and other surfaces.

Package

400ml/230g × 12pcs
400ml/250g × 12pcs
400ml/310g × 12pcs

Shelf Life: 3 years



Metallic Spray Paint

Features

Sano Metallic Spray Paint is an acrylic based aerosol spray paint that provides premium solutions for a variety of sectors such as industrial maintainance, automotive equipments, Touch-Up, DIY and crafts.

1. Quick drying, high solid content.
2. Excellent coverage and metallic effect.
3. Durable and excellent weather resistance.
4. Good decorative effect, wonderful protect ability.

Application

It can be widely used for metals, wood with finished surfaces, glass, ABS and other surfaces.

Package

400ml/230g × 12pcs
400ml/250g × 12pcs
400ml/310g × 12pcs

Shelf Life: 3 years



Chrome Spray Paint

Features

Sano Chrome Spray Paint is imitation chrome-plated, gold-plated, galvanized, silver-plated aerosol paint. It is refined with special metal pigments, resins and new special additives.

1. Simple operation, flexibility.
2. Good atomization and high spray rate.
3. Good decoration and protection functions
4. Strong metallic mirror effect.

Application

For various metals, surface treated glass, wood, ABS plastic and other substrates have excellent decorative and protective functions.

Package:

400ml/230g × 12pcs
400ml/250g × 12pcs
400ml/310g × 12pcs

Shelf Life: 2 years





Fluorescent Spray Paint

Features

This product is a daytime fluorescent aerosol paint, different from luminous paint. In the sunlight, the reflection of most of the fluorescence band light, thus showing more vivid than the ordinary color. For maximum visibility and safety at home, office or plant. Highly visible when used on any surface with a white base for daytime brilliance. Adds dazzle to floral and festive ornaments, displays, posters or stencils. Also accents safety hazards.

1. Fluorescent colors provide high visibility.
2. Fast-drying, good atomization and high spray rate.
3. Good hardness of paint film, good adhesion.
4. Excellent gloss and colour retention.
5. Protects and beautifies.

Application

For metal, surface treated glass, wood, ABS plastic and other substrates have good decorative and protective functions.

Package: 400ml/230g × 12pcs 400ml/250g × 12pcs
400ml/310g × 12pcs

Shelf Life: 3 years



Hammer Finish Spray Paint

Features

Sano Hammer Finish Spray Paint provides a fast, durable, beautiful finish for any indoor or outdoor project. This paint is designed to produce a hammered-like effect which will add a pop of interesting contrast to your projects and crafts. Use it on metal, wood, wicker, ceramic, glass, masonry, plaster, and more.

1. Simple operation and eco-friendly.
2. No fading and durable.
3. Uniform coating.
4. Wide application.
5. Stain resistance and strong coverage.

Application

It is perfect for indoor or outdoor use on metal, wood, fibreglass and most surfaces.

Package: 400ml/230g × 12pcs 400ml/250g × 12pcs
400ml/310g × 12pcs

Shelf Life: 2 years



High Temperature Spray Paint

Features

High Temperature Spray Paint is a heat resistant silicon-based flat finishing coat designed for use on metal surfaces subject to extreme heat.

1. Heat resistant to 350°C~400°C (662°F~752 °F).
2. Dry quickly and has good adhesion to all substrates.
3. Quick drying.
4. Excellent coverage and durable.
5. Suitable for interior and exterior use.

Application

Ideal for use on automotive, motorcycle exhaust pipes, ovens, boilers, chimneys and other surfaces.

Package: 400ml/230g × 12pcs 400ml/250g × 12pcs
400ml/310g × 12pcs

Shelf Life: 3 years

Line Marking Paint

Features

Sano Line Marking Paint is an aerosol thermoplastic acrylic self-drying paint with high solid content, good storage stability, good film adhesion, rapid drying, excellent coverage, abrasion resistance, and UV resistance, which can meet the long-term outdoor marking effect. This product is equipped with unique valves and buttons, and adopts inverted spraying construction. The marking width can be adjusted at will between 6cm and 13cm, which can meet the marking requirements of most widths.

1. Sharp and durable lines.
2. Better opacity.
3. Adjustable line width (6-13cm).
4. Robust industrial quality.
5. Applicator does not need cleaning after use.

Application

Ideal for drawing lines in parking areas, warehouses, sports fields, stadiums and all sites where traffic control is required. Application on asphalt, concrete, grass, metal and wood.

Package: 750ml/750g × 12pcs 650ml/650g × 12pcs
Shelf Life: 3 years



Flammable Mine Marking Paint

Features

This product is specially formulated for above/below ground areas. High opacity, high quality, true colour pigment loading. 360 degree valve for any direction spray. Applications include marking out ore zones in grading control, pit walls and survey grid layouts.

1. High opacity, high quality, true colour pigment loading.
2. 360 degree valve for any direction spray.
3. Bright, highly visible marks on dark surfaces.

Application

It is a marking out paint specially formulated for above / below ground areas (not recommended for underground coalmines-use Mine Marking Non-Flammable). Applications include marking out ore zones in grading control, pit walls and survey grid layouts.

Package: 400ml/350g × 12pcs
Shelf Life: 3 years



Non-flammable Mine Marking Paint

Features

This product is formulated for use in underground mines and other fire sensitive situations. 360 degree valve for any direction spray. Bright, highly visible marks on dark surfaces.

1. Non-flammable layout marker.
2. Formulated for use in underground mines and other fire sensitive situations.
3. 360 degree valve for any direction spray.
4. Bright, highly visible marks on dark surfaces.

Application

It is a layout marker specifically formulated for use in underground mines and fire sensitive situations. Suitable Surfaces: Rock, dirt and gravel.

Package: 500ml/400g × 12pcs
Shelf Life: 3 years





Spot Marking Paint

Features

This product is a premium marking out paint designed for a range of applications including construction, landscaping, civil works, and surveying. With a unique spray pattern specifically designed for spot marking as well as writing applications. Available in a range of high visibility colours.

1. Premium temporary marking out paint.
2. Toluene-free formula.
3. Designed for inverted use.
4. High opacity, high quality, true colour pigment loading.

Application

Suitable for marking out roadworks, building sites, golf courses and sporting areas.

Package: 400ml/350g × 12pcs

Shelf Life: 3 years



Water-based Spray Paint

Features

This product is water-based formula, low odor, safety, environmental protection, low VOC content, does not contain irritating organic solvent odor, excellent film performance, widely used in metal, wood, wall, ABS, styrene foam and other material objects spraying repair.

1. Low odour and Low VOC content.
2. Indoor use.
3. Safety and eco-friendly.
4. Excellent film performance.

Application

Widely used in metal, wood, wall, ABS, styrene foam material objects such as spraying repair. Suitable for indoor spray paint, fast drying, good film fullness.

Package: 400ml/250g × 12pcs

Shelf Life: 3 years



Aerosol Wall-repair Spray

Features

This product is a quick-drying water-based aerosol paint. It is composed of water-based acrylic resin, pigment, filler, and propellant. It is good smell, environmentally friendly, easy to use, good atomization, high spray rate, high fullness of paint film, good adhesion, and strong cover. It can be widely used for decorating and repairing of internal and external walls (in small areas), such as houses, schools, hotels, office buildings, as well as DIY graffiti art creation, symbols on public places, etc.

1. Water-based formula.
2. Good atomization.
3. Strong covering power.
4. Easy to use.
5. Eco-friendly and Low odour.

Application

It can be widely used in the decoration and repair of small areas of dirty inside and outside walls of buildings such as residential buildings, schools, hotels and office buildings, as well as DIY graffiti art creation and signs in public places.

Package: 400ml/288g × 12pcs

Shelf Life: 18 months

Rubberized Undercoating

Features

This product is a component of the base paint (base coat), which is made from thermoplastic acrylic, specially formulated for use as an anti-corrosive primer for metal, because it contains anti-corrosion additive materials.

1. Dry quickly, good adhesion.
2. Corrosion-resistant.
3. Prevents rust, non-yellowing.
4. With good elasticity& flexibility.

Application

It is suitable for waterproof and rust prevention of various base objects such as automobile chassis and home construction.

Package:
400ml/230g×12pcs
400ml/250g×12pcs
400ml/310g×12pcs

Shelf Life: 3 years



Industrial Aerosols

Carb Cleaner

Features

SANVO Carb Cleaner contains unique dispersant and penetrant, and adopts the method of strong solvent high-speed washing to effectively remove the colloid, sludge, paint film and other deposits in the carburetor, choke, electronic ejector and other parts. Restore the carburetor to a good working condition, enhance the combustion and explosion power of the engine, without damaging oxygen sensitive devices.

1. Unique penetration formula.
2. Quick cleaning, high efficiency.
3. Powerful decontamination.
4. Simple and practical.
5. Low VOC.

Application

It is suitable for cleaning carburetor, choke, electronic ejector and other parts of the glue, mud, paint film and other deposits.

Package: 400ml/262g X12pcs 400ml/262g X 24pcs
Shelf Life: 2 years



Paint Remover Spray

Features

SANVO Paint Remover Spray is an aerosol type peeling paint remover, which has the advantages of simple construction and operation, high paint removal efficiency, and no corrosion to metal substrates.

1. Simple construction and operation.
2. High paint removal efficiency.
3. No corrosion to metal substrates.

Application

It is especially suitable for the removal of self-drying alkyd paint, amino baking paint, nitrocellulose paint, acrylic paint and part of epoxy and low-temperature curing two-component paint.

Package: 400ml/271g×24pcs 1L/800g×12pcs
Shelf Life: 3 years





Adhesive Remover

Features

SANVO Adhesive Remover is made with a special formula and contains a unique penetrant, which can be quickly immersed in a variety of stubborn glue layers, with fast degumming speed, fresh smell, simple operation and small dosage.

1. Removes sticky adhesive residue
2. Renews the appearance of vehicles with a fresh, clean surface
3. Safe for use on painted surfaces, vinyl, and fabric when properly used
4. Turns stubborn adhesive grime into a no-problem cleanup

Application

Useful to clean and degrease metal parts, motors, tools, printing presses, concrete, or almost any dirty or greasy surface.

Package: 400ml/250g X12pcs
Shelf Life: 3 years

Mold Release Agent(oilness & Dry Film)

Features

SANVO Mold Release Agent is suitable for most applications where post-mold painting is not required, which increases the life of dies and molds, improves product surface finishes and reduces production times. Prevents Sticking to increase the life of dies and molds, improve product surface finishes and reduce production times. Rapid Dry, anti-stick mold release agent suitable for cold and hot molds.

1. Multiple part releases per application
2. Ideal for hot or cold molds
3. Non-staining, non-corrosive and fast drying

Application

Usually used in the production and release of various plastic, rubber, glass, and metal industrial products.

Dry film release agents are suitable for secondary processing, such as oil spraying, silk screen printing, electroplating, bronzing, transparent products and high-precision electronic product printing.

Package : 400ml/250gX12pcs
Shelf Life: 3 years



Multi-purpose Foam Cleaner

Features

SANVO Multi-Purpose Foam Cleaner is rich in surface active factors, so it has strong penetration and detergency. It utilizes unique foam properties to absorb, wrap, and transfer dirt, and is equipped with excellent washing auxiliaries to achieve excellent cleaning effects. Using this product, it is convenient to clean locally or as a whole in the car, such as car seats, dashboards, ceilings, etc., and has the characteristics of gentleness and safety. This product is also suitable for daily cleaning of ceramic tiles, stoves, tables and chairs, metal utensils, etc.

1. Deep cleaning foaming action lifts dirt, helps restore true color
2. Works great on your car's fabric and vinyl upholstery, floor mats, and carpets
3. Great for auto, boat and home use
4. Works on many washable surfaces including painted walls, fixtures, tile and more.

Application

Removes handprints, grease spots, crayon marks and scuff marks from surfaces throughout your home. It's perfect for bathrooms, kitchens and touch-up cleaning and produces sparkling results when used on hard surfaces, such as counters, walls, tile and floors. All your cleaning products are wrapped into one multi-purpose cleaner.

Package: 650ml/506gX12pcs
Shelf Life: 3 years

Kitchen Cleaner

Features

SANVO Kitchen Cleaner is an ultimate multi-surface cleaner producing a penetrating foam that takes on grime where it hides. The leading Foam Cleansing delivers amazing fragrance while removing 100% of soap scum. With our All-Purpose Bubble Cleaner, you could easily clear all greases and dirts, keeping your toilet and kitchen fresh up to 3 month!

- a. Strong cleaning stains.
- b. Clean kitchen stains in all directions.
- c. Cleaning, glazing, protection, three in one effect.
- d. Dissolution of oil quickly.

Application

1.100% Non-toxic&grease-free.
2.Ultra Cleaning Solution.
3.Widely Applicable.

Package: 400ml/250g X12psc
Shelf Life: 3 years



Brake Cleaner

Features

SANVO Brake Cleaner can penetrate, dissolve and remove dust, oil and impurities on the brake system, clutch and brake calipers. Maintain the excellent braking performance of the braking system and eliminate the harshness of the brakes.

1. Fast Evaporating Formula.
2. Stops Brake Squeal.
3. Improved Brake Performance.
4. Removes Brake Fluid, Oil, Grease & Contaminants.
5. Use on rotors, drums, linings, clutches and gaskets surfaces.

Application

1.ABS, disc, drum, brake cylinders, brake drums, brake linings, brake shoes, calipers, clutch discs, disc brake pads, discs.
2.Safe for use on all brake systems including springs and wedge brakes.
3.Non-chlorinated brake cleaner gets rid of brake fluid, grease, oil and other contaminants.

Package: 650ml/350gX12pcs
Shelf Life: 3 years



Chain Cleaner

Features

SANVO Chain Cleaner has been designed to melt away grease, dirt, wax and grime while leaving delicate O-rings unharmed. It will not adversely affect chrome or clear coated paint. The formula was designed with safety, health and environment in mind. Simply spray the formula on and it immediately gets to work dissolving the unwanted contaminants on your vehicle. Keep your vehicle running smoothly with this unique formula that is designed to maximize chain life.

- 1.Safe on all chain types.
- 2.Safe on all rubber belt drives.
- 3.Quick drying'zero-residue' formula.
- 4.Eliminates all chain contaminants to prevent chain wear.
- 5.Rapidly removes oil, grease & grime without the need for water.

Application

It's safe to use on rubber, metal and carbon fibre components and suitable for O, x and Z-ring moto chains.

Package: 400ml/250gX12pcs
Shelf Life: 3 years



Aerosol Series Products



Engine Degreaser

Features

SANVO Engine Degreaser is a concentrated, solvent-based, degreaser. With the special formulation, it can dissolve oil, clean dust and grime on surface of engine. When we have a clean engine, we can find issues earlier, such as oil leaks. Then we can fix it before the big problem happened.

- 1.Clings to surfaces, Penetrates grease and oil.
- 2.Fast acting, No scrubbing required.
- 3.Eliminates baked-on grime and deposits.
- 4.Heavy-duty degreaser removes engine deposits.

Application

Recommended for cleaning and degreasing automobile engines, industrial equipment, farm equipment, lawn mowers, garage floors and tools, marine equipment and machinery.

Package:650ml/350gX12pcs

Shelf Life:3 years



Multi-purpose Anti-rust Lubricant

Features

SANVO Multi-purpose Anti-Rust Lubricant is mainly composed of petroleum solvents, rust inhibitors, and lubricants. It integrates the functions of rust prevention, dehumidification, loosening, rust removal, lubrication, cleaning, etc.; cooperatively protects various equipment, making work more convenient. It is suitable for metallurgy, molds, shipping, communication equipment, airplanes, automobiles, motorcycles, bicycles and many other fields. It is also suitable for home and outdoor activities. It is known as "multi-purpose maintenance agent for metal products".

- 1.Lubricating ingredients are wide to all moving parts.
- 2.Loosest rust-to-metal bonds and frees stuck.
- 3.Protects metal surfaces with corrosion-resistant ingredients
- 4.Dissolves adhesives, allowing easy removal of excess bonding material.
- 5.Displaces moisture

Application

It is widely used in vehicles, ships, families, factories, tools and machine rooms. There are more functions waiting for you to explore.

Package:200ml/150gX24pcs

Shelf Life:5 years



Chain Lube

Features

Sanvo Chain Lube uses a special formula, and the lubricating fluid penetrates into chain links and thickens to provide an extra lubricating and shock absorbing film and reduces chain stretch and the requirement for frequent adjustments. This formula also protects the chain against the element for increased chain service life, reliability and performance, excellent lubricating and penetrating qualities. For high speed and O-ring chains.

1. Specially contain PTFE.
2. Not easy to stain.
3. Eliminate abnormal riding noise.
4. Effectively reduce the friction and wear consumption of the transmission system.

Application

Widely used in transmission parts such as bicycle chains, crankshafts, gears, transmissions, etc.

Package:200ml/150gX24 pcs 400ml/250gX12 pcs

Shelf Life:3 years

Dashboard Wax Spray

Features

SANVO Dashboard Wax Spray is mainly composed of high-grade wax and petroleum solvents. It adopts a unique formula and has the functions of cleaning, glazing, dustproof and anti-aging. It is suitable for automobile dashboards, leather seats, synthetic leather, tires, home appliances, rubber, plastics, etc. Clean and polish. Regular use can keep the surface smooth and clean.

1. Clean and dustproof.
2. Glazing, long-lasting shine.
3. Does not hurt the epidermis.
4. Convenient operation.

Application

Suitable for automobile dashboards, leather seats, synthetic leather, tires, home appliances, rubber, plastics, etc.

Package:450ml/250gX12 pcs

Shelf Life:2 years



Stainless Steel Brightening Protective Agent

Features

This product adopts a unique high-gloss formula, which can remove stains on the surface of steel, and can increase the luster of the metal surface without leaving water marks and fingerprints, and keep the surface dry, non-greasy, and lasting. Protection, cleaning, and glazing can be done in one step, saving time and convenience.

1. High-gloss formula
2. Keep the surface dry, non-greasy, and lasting effect.
3. Protect, clean and polish in one step

Application

1. Suitable for stainless steel, chromium for construction, aluminum alloy and other indoor metal surfaces.
2. It can be used on other hard surfaces that can be cleaned, such as ceramics, plastic laminates, etc.

Package:350ml/253gX12 pcs

Shelf Life:2 years



Silicone Spray

Features

SANVO Silicone Spray is formulated with silicone oil fluid. It is a colorless, odorless, protective lubricant, non-conductive and water resistant product. It will not affect plastics or polycarbonates.

1. High quality, high performance and eco-friendly.
2. Good slippage, isolation, and water repellency.
3. High temperature resistance and chemical stability.
4. Easy to use and high efficiency.

Application

1. Food packaging industry
2. Printing industry
3. Curtain and door track lubricant
4. Protection of electrical systems
5. Mould release agent for plastic and rubber
6. General purpose lubricant for household and garden.

Package:650ml/250gX12 pcs

Shelf Life:2 years





Tire Foam Cleaner

Features

SANVO Tire Foam Cleaner produce plenty of foam to provide a protective surface on the tire while cleaning dirty and it does no harm to human being or the environment. Adopts unique brighten factor and formula to bring more lasting brightness to the tire, can restore the original black brightness, prevent the tire colour fading, whitening, yellowing and other conditions, and keep the tire bright.

1. Cleaning, glazing, protection in one
2. Rich foam, fast and efficient
3. Convenient and quick.

Application

Tire, bumper, engine strip, car window strip

Package:400ml/250g×12 pcs

Shelf Life:3 years



Glass Anti-fogging Spray

Features

SANVO Glass Anti-fogging Spray has multiple functions such as anti-fogging, cleaning, defogging etc, which can effectively remove the fog attached to the surface in cold and humid weather or hot and cold temperature difference. It is different from traditional foam product. It is simple and fast to use. It can maintain the glass surface with one spray and one wipe.

1. Adopts bag valve packaging, liquid and propellant are separately packed, more safety and eco-friendly.
2. Easy to use and high efficiency.

Application

1. Car interior window glass.
2. Diving goggles.
3. Bathroom glass.
4. Daily life glasses.
5. Home glass .

Package:200ml/71g×24 pcs

Shelf Life:3 years



Antibacterial Deodorant Spray

Features

SANVO Antibacterial Deodorant Spray can be used for Antibacterial and deodorizing, it can effectively remove the mold, bacteria and smoke odor that grow in small spaces due to daily use. Suitable for car interiors, car air conditioners and household appliances.

1. Freshen the air in the car and relieve stress
2. Multi-directional no dead ends
3. Easy to use, fast and efficient

Application

1. Eliminate odors in the car
2. Air conditioner antibacterial
3. Toilet deodorization

Package:200ml/130g×24 pcs

Shelf Life:2 years



Non-flammable Air Duster

Features

Using precision electronic cleaning technology, used in the precision parts of electronic equipment where conventional cleaning methods are prohibited.

1. High purity gas
2. Go deep into the unreachable gap.
3. Effectively clean non-touchable surfaces.
4. Harmless to plastic, rubber, metal glass and painted surface.

Application

Widely used in laptop keyboards, fans, motherboards, optical drives, fax machines, copiers, mobile phones, digital cameras, CT medical equipment, etc.

Package:300/500ml×12 pcs

Shelf Life:5 years



R-134a For Auto Air Conditioner

Features

CF3-CH2F (1,1,1,2-tetrafluoroethane)Purity ≥ 99.9%
Water content ≤ 0.001% Acidity ≤ 0.0001%
Leftover ≤ 0.01%

1. Excellent environmental performance.
2. High purity.
3. Excellent cooling effect.

Application

It can be used in automobile air-conditioning system whose refrigerant is R134a

Package:385ml/300g×30 pcs

Shelf Life:5 years



Low Temperature Starting Agent

Features

SANVO Low Temperature Starting Agent is a unique blend of chemicals that contains 25% ether to assist in starting petrol or diesel engines, even in the most difficult weather conditions, which helps to reduce excessive battery drain. Contains an upper cylinder lubricant and corrosion inhibitor. Will provide up to 200 starts.

1. Quick start, easy to use.
2. No damage to the engine, no knock.
3. Prevent excessive loss of battery and ignition switch.

Application

It is suitable for gasoline and diesel engines that are difficult to ignite and start under cold conditions (0°C~ -40°C).

Package:650ml/350g×12 pcs

Shelf Life:3 years



SILICONE SERIES PRODUCTS





Acetic silicone sealant

Acetic Structural Silicone Sealant TB053

Features

- 1.This is a one-component, acetoxy silicone sealant, with high strength and high modulus characteristics.
- 2.Excellent weathering resistance, UV resistance, ozone resistance, water resistance.
- 3.Flexible at low (-50°C) and high (+150°C) temperatures after curing.
- 4.Adheres excellently to many common building surfaces, including glass, wood and aquarium.
- 5.Suitable for interior and exterior use.

Application

- 1.Aquarium, glass, fish tank
- 2.Suitable for internal connection and expansion joints.

Packaging

300ml×24pcs/carton
250ml×24pcs/carton



Acetic Silicone Sealant TB151

Features

- 1.This is a one-component, acetoxy silicone sealant, room temperature curing
- 2.Excellent weathering resistance, UV resistance, ozone resistance, water resistance
- 3.Flexible at low (-50°C) and high (+150°C) temperatures after curing
- 4.Adheres excellently to many common building surfaces, including glass, metals, wood and ceramic tiles.
- 5.Suitable for interior and exterior use.

Application

- 1.Aquarium, glass, fish tank
- 2.Suitable for internal connection and expansion joints

Packaging

300ml×24pcs/carton



General Purpose Acetic Silicone Sealant TB181

Features

- 1.A cost effective, one-component, acetoxy cure silicone sealant.
- 2.It provides a flexible bond and will not harden or crack.
- 3.Excellent tooling properties for professional use.
- 4.Excellent adhesion for glass and most building materials.
- 5.Keep excellent performance between the temperature of -50°C~+150°C after cured.

Application

Filling and sealing of general decoration construction engineering Windows, doors, and glass

Packaging

300ml × 24pcs/carton



Neutral silicone sealant

Neutral Structural Silicone Sealant SV951

Features

- 1.One-component, high-strength, high-modulus silicone sealant specially used in structural assembly design in curtain wall systems.
- 2.It has excellent weathering resistance, UV resistance, ozone resistance, water resistance.
- 3.Keep excellent performance between the temperature of -50°C ~+150°C after cured.
- 4.It can produce good adhesion to most building materials, such as glass, steel, etc

Application

- 1.Suitable for bonding and sealing of glass, aluminum curtain wall, glass roof and metal structure engineering.
- 2.Suitable for two-way bonding and sealing of insulating glass, assembling of curtain wall structure with full or semi-hidden frame, and other construction engineering applications.

Packaging

300ml×24pcs/carton(cartridge)
590ml×20pcs/carton(sausage)



Neutral Silicone Structural Sealant TB995

Features

- 1.One-component, neutral cure, elastomeric adhesive specifically formulated for silicone structural glazing and exhibits excellent unprimed adhesion to most building substrates.
- 2.Excellent weathering resistance, UV resistance
- 3.Adheres excellently to many common building surfaces.
- 4.Flexible at low (-50°C) and high (+150°C) temperatures after curing.

Application

- 1.Structural joints of small and medium-sized buildings
- 2.Suitable for interior and exterior use.
- 3.For new construction or renovation of building envelopes including monumental curtainwalls, window walls and glass facades.

Packaging

300ml×24pcs/carton



Natural Stone Silicone Building Sealant TB851L

Features

- 1.This is a one-component, non-sag, permanently flexible, neutral-cure sealant for filling joints in tile and stone installations.
- 2.Non-corrosive to building materials and marble
- 3.Excellent bonding performance
- 4.High strength and high modulus characteristics.

Application

- 1.Weatherseal in stone curtain walling and cement panel precasting
- 2.Concrete expansion joint sealing of tunnel and road engineering
- 3.Bonding and caulk seal in ceramic engineering
- 4.Sealing the joints between stone and other construction materials such as glass and metals, etc.

Packaging

300ml×24pcs/carton(cartridge)
590ml×20pcs/carton(sausage)





Kitchen & Bath Silicone Sealant TB551

Features

- 1.Contains a fungicide that resists mould and mildew growth
- 2.Strong adhesion to a wide range of wet area construction materials
- 3.Cured sealant is mold & mildew resistant
- 4.Excellent adhesion.

Application

Installation of all kinds of kitchen utensils and sanitary ware, caulking and mildew-proof sealing.

Packaging

300ml×24pcs/carton



Mirror Silicone Sealant TB541

Features

One-component, neutral cure, non-corrosive
UV and weather resistant
Suitable for interior and exterior use.
Solvent free, very low odor

Application

General metal assembly
Bonding mirrors to sound plaster, concrete, wood etc.
Bonding mirrors to doors or ceramic wall tiles

Packaging

300ml×24pcs/carton



Neutral Silicone Sealant TB781

Features

- 1.This is a one-component, neutral cure silicone sealant
- 2.Excellent weathering resistance, strong adhesion and sealing
- 3.Adheres excellently to many common building surfaces, including glass, metals, wood and ceramic tiles.

Application

- 1.Filling and sealing of general decoration construction engineering.
- 2.Windows, doors, and glass

Packaging

300ml×24pcs/carton (cartridge)
590ml×20pcs/carton (sausage)



Neutral Window & Door Silicone Sealant TB798

Features

- 1.One-component, neutral cure, room temperature curing.
- 2.Specially developed for the sealing function of doors and windows, using special formula additives.
- 3.Has good sealing performance.

Application

- 1.Sealing and bonding for decoration engineering.
- 2.For door and window joints.

Packaging

300ml×24pcs/carton

High temperature resistant fire retardant Sealant TB119

Features

It has super flame-retardant performance, reaching FV-0 flame retardant level.
It has excellent weather resistance, can be sealed permanently at -60°C -+350°C , and can withstand high temperature of 850°C instantaneously.

Application

Suitable for corridor passage doors and windows, ventilation duct gaps, sun rooms, and exterior walls in shopping malls, hotels, residences and other public places.
Suitable for cooking appliances, disinfection cabinets, electric steamers, electric ovens, induction cookers, microwave ovens, fireproof and flame retardant caulking and sealing.

Packaging

300ml×24pcs/carton



Modified Silane Mold-proofing Sealant SV688

Features

- 1.One-component, non-formaldehyde, pollution-free, environmental friendly, anti-mold glass.
- 2.This product is non-corrosive to the substrate and has excellent compatibility, and does not contain formaldehyde and pollution.

Application

- 1.Suitable for filling and sealing of indoor high-end sanitary ware, kitchenware, shower room, bathtub and ceramic tile structure.
- 2.Suitable for bonding home improvement glass, high-end furniture and other glass products.

Packaging

300ml×24pcs/carton



Modified Silanes Polyether Construction Sealant SV366L

Features

This product is a Silyl-Modified polyether, one component sealant with good flexibility, good adhesion to cement, stone and other substrates, and does not produce bubbles when cured. Environmental protection, no pollution to the substrate, and the surface can be painted. Weather resistance, excellent durabilityLow modulus, strong resistance.

Application

It is mainly used for sealing and waterproofing of prefabricated building (precast concrete) slab gaps, such as expansion joints of concrete exterior walls, reserved gaps on metal curtain walls, aluminum alloy window frames and concrete, cement wall gaps, etc.

Packaging

600ml×24pcs/carton





RTV Silicone Gasket Maker



Premium RTV Silicone Gasket Maker (gold)

Features

- High-grade silicone sealant for neutral curing at room temperature, high-strength structural sealing and bonding.
- Add special reinforcing metal (Cu), neutral and non-corrosive, environmental protection, pure gold texture, temperature resistance and insulation performance, cure fast.
- Achieve the magical effect of sealing, bonding and beautiful seams

Application

- Static sealing of engine, fuel tank bottom shell, axle and other parts of high-end automobile.
- Bonding and sealing in handicrafts, electronic appliances, chemical pipelines, machinery and equipment industries.

Package: 71g×20pcs×4box/carton

Shelf Life: 18months



Premium RTV Silicone Gasket Maker (silver)

Features

- High-grade silicone sealant for neutral curing at room temperature, high-strength structural sealing and bonding.
- Add special reinforcing metal (Al), neutral, non-corrosive, fragrant and environmentally friendly, pure silver texture, cure fast.
- Achieve the magical effect of sealing, bonding and beautiful seams.

Application

- Static sealing of engine, fuel tank bottom shell, axle and other parts of high-end automobile.
- Bonding and sealing in handicrafts, electronic appliances, chemical pipelines, machinery and equipment industries.

Package: 71g×20pcs×4box/carton

Shelf Life: 18 months



Premium RTV Silicone Gasket Maker Black

Features

- Neutral curing at room temperature, rapid prototyping, high-strength structural sealing and bonding silicone sealant.
- Corrosion resistance, high temperature resistance and insulation. oil resistance far exceeds ordinary silicone.
- Good sealing performance.

Application

- Engines, covers and fuel tank bottom shells of cars.
- Flanges, valve sleeves, cover plates, oil pans for high-demand equipment.
- Sealing and bonding of electronic appliances, chemical machinery and equipment, etc.

Package: 71g×20pcs×4box/carton

Shelf Life: 12months

Premium RTV Silicone Gasket Maker (blue)

Features

- Neutral curing at room temperature, environmental protection, no corrosion, with high strength structural sealing and bonding silicone sealant.
- Super strong acid and alkali resistance. high temperature resistance and insulation. oil resistance far exceeds ordinary silicone.
- Has good sealing performance.

Application

- Engines, covers and fuel tank bottom shells of cars.
- Flanges, valve sleeves, cover plates, oil pans for high-demand equipment.
- Electronic, chemical, mechanical equipment and other plane sealing.

Package: 85g×20pcs×4box/carton

Shelf Life: 12months



Sanvo Middle Black RTV Silicone Gasket Maker

Features

- It is a fast curing, sensor-safe, low-odor, non-corrosive formula specially developed for high-strength requirements, heavy-duty automobiles and other chemical machinery and equipment with high requirements.
- Its temperature resistance range is -60°C ~ 280°C, and the pressure can be greater than or equal to 15MPa.
- It can effectively resist the fluid and vibration of automobiles and workshops and can effectively ensure the safety performance of the sensor.

Application

- This product can replace traditional gaskets to statically seal flanges, cover plates, pipe joints, etc.
- Suitable for flat sealing of large engines, exhaust pipes and other parts of various heavy-duty vehicles, trucks and motorcycles

Package: 83g×20pcs×4box/carton

Shelf Life: 12months



Sanvo Middle High-temp Red RTV Silicone Gasket Maker

Features

- It is a fast-curing, sensor-safe, low-odor, non-corrosive formula, which is specially developed for high-strength requirements, heavy-duty vehicles and high-temperature equipment.
- Its temperature resistance range is -60°C ~ 300°C, and the pressure can be greater than or equal to 15MPa.

Application

- Instead of various sealing gaskets (or use them together with sealing gaskets), statically seal flanges, cover plates, pipe joints, etc.
- Suitable for flat sealing of large generators, valve chambers, exhaust pipes and other parts of various heavy-duty vehicles and trucks.

Package

54g×100pcs/carton 93g×20pcs×4box/carton

Shelf Life: 12months





Sanco Middle Silver RTV Silicone Gasket Maker



Features

- This product is specially designed for high-strength, heavy-duty cars or trucks with oil resistance, water resistance, aging and environmental protection RTV.
- Its temperature resistance range is -60°C~280°C, and the pressure can be greater than or equal to 15MPa.

Application

- It is mainly used for sealing and anti-vibration of various mechanical parts such as engines, gearboxes, gearboxes, oil pans, flanges and cover plates of various high-end cars, large trucks, motorcycles and other vehicles.
- It can also be widely used in the assembly and maintenance of mechanical, electronic, and chemical equipment.

Package

54g×100pcs/carton
93g×20pcs×4box/carton

Shelf Life: 12months



Sanco General Black RTV Silicone Gasket Maker 586

Features

It is a fast-drying, non-corrosive, re-dismountable RTV with excellent oil resistance

Application

- Suitable for sealing of engines, gearboxes, cars and other parts of automobiles, motorcycles and various mechanical equipment.
- Suitable for plane sealing of other electronic, chemical and mechanical equipment

Package: 54g×100pcs/carton
Shelf Life: 12months



Sanco General RTV Silicone Gasket Maker Blue 579

Features

It is a fast-drying, non-corrosive, re-dismountable RTV with excellent oil resistance.

Application

- Suitable for sealing of engines, gearboxes, cars and other parts of automobiles, motorcycles and various mechanical equipment.
- Suitable for plane sealing of other electronic, chemical and mechanical equipment.

Package: 83g×20pcs×4box/carton
Shelf Life: 12months

Sanco General High-temp Red RTV Silicone Gasket Maker



Features

It is a non-corrosive RTV with easy disassembly and excellent high temperature resistance.

Application

- Suitable for static sealing of automobiles, motorcycles, ships, machinery, electronics, and chemical equipment.
- Especially suitable for flat sealing of parts with higher temperature requirements.

Package:

54g×100pcs/carton
81g×20pcs×8box/carton

Shelf Life: 12months



Sanco General Silver RTV Silicone Gasket Maker 589

Features

This product is a RTV with fast curing speed, detachable and oil resistance, water resistance and aging resistance.

Application

Suitable for static sealing of automobiles, motorcycles, ships, machinery, electronic appliances, chemical equipment.

Package: 83g×20pcs×4box/carton
Shelf Life: 12months



Sanco Epoxy Adhesives

Features

- This product is a double-component modified epoxy acrylate adhesive.
- High bonding strength, tensile shear strength ≥20MPa (steel-steel bonding)
- Toughness, excellent impact resistance, oil resistance, temperature resistance.

Application

Self-adhesion and mutual adhesion of metals, plastics, wood, ceramics and other materials.


Package: 20g×100sets/carton 50g×60sets/carton
80g×50sets/carton

Shelf Life: 12months




SYNTHETIC RUBBER SERIES PRODUCTS

page 27



page 28



Threadlocker

SANVO Premium Strength Threadlocker SH-271

Features

- 1.SANVO Threadlocker SH-271 is designed for the permanent locking and sealing of threaded fasteners.
- 2.The product cures when confined in the absence of air between close fitting metal surfaces. protects threads from rust and corrosion and prevents loosening from shock and vibration. It is
- 3.Only removable once cured by heating up parts to 500°F (260°C).

Application

Seals for automobile and motorcycle engine cylinder gaskets, oil chassis gaskets, intake and exhaust manifold gaskets, and gearbox chassis gaskets
Various pipe thread seals.

Package:10g×80pcs/carton 50g×100pcs/carton
250g×20pcs/carton

Shelf Life: 24 months



SANVO Medium Strength Threadlocker SH-242

Features

- 1.SANVO Threadlocker SH-242 is designed for the locking and sealing of threaded fasteners which require normal disassembly with standard hand tools.
- 2.The product cures when confined in the absence of air between close fitting metal surfaces.
- 3.It protects threads from rust and corrosion and prevents loosening from shock and vibration.

Application

SANVO Threadlocker SH-242 is particularly suited for applications on less active substrates.

Prevents rusting of threads
Can be removed with hand tools
Prevents loosening of metal fasteners caused by vibrations
Protects threads
Medium strengthLocks threads

Package:50g×100pcs/carton 250g×20pcs/carton
Shelf Life: 24 months



SANVO General Purpose Threadlocker SH-340

Features

- 1.SANVO Threadlocker SH-340 is a red, general purpose, medium to high strength, thixotropic methacrylate-based adhesive.
- 2.Steel fixture time is 15 min, brass 8 min and stainless steel 180 min. It fluoresces under UV light to allow monitoring. Ideal for applications where any migration of the adhesive must be prevented.
- 3.Can tolerate slight contaminations of industrial oils.
Suitable for all metal fasteners.

Application

Resistant to vibration
Fluoresces to allow quality control and inspection
Suitable for all metal fasteners
Med/high strength, general purpose
Tolerates slight contaminations of industrial oils
Thixotropic/low viscosity

Package:50g×100pcs/carton 250g×20pcs/carton
Shelf Life: 24 months





SANVO Medium Strength Threadlocker SH-243

Features

SANVO Threadlocker SH-243 is a medium strength blue threadlocking adhesive that seals and secures metal nuts and bolts to prevent loosening due to shock and vibration. SANVO 243 is a general purpose threadlocker that provides a medium strength bond. SANVO 243 works on all metals, including passive substrates such as stainless steel, aluminum and plated surfaces. It is proven to be tolerant of minor contamination due to industrial oils, e.g., motor oils, corrosion prevention oils and cutting fluid.

Application

Prevents loosening on vibrating assemblies, e.g. pumps, gear boxes or presses. Works on all metals, including passive substrates (e.g. stainless steel, aluminum, plated surfaces). Proven to tolerate minor contamination by industrial oils, e.g. motor oils, corrosion prevention oils and cutting fluids. Permits disassembly with hand tools for servicing.

Package: 50g×100pcs/carton 250g×20pcs/carton

Shelf Life: 24 months



SANVO Threadlocker SH-290

Features

SANVO Threadlocker SH-290 is a medium/high strength, wicking grade threadlocking adhesive that is ideal for locking preassembled fasteners. SANVO 290 is a liquid medium/high-strength threadlocker designed for the locking and sealing of threaded fasteners. Because of its low viscosity and capillary action, the product wicks between engaged threads and eliminates the need for disassembly prior to application. The product cures when confined in the absence of air between close-fitting metal surfaces and prevents loosening and leakage due to shock and vibration. The product can also fill porosities in welds, castings and powdered metal parts.

Application

Ideal for locking preassembled fasteners, e.g. instrumentation fasteners, electrical connectors and set screws. Works on metal only. Proven to be tolerant of minor contamination due to industrial oils, e.g. motor oils, corrosion prevention oils and cutting fluids. Requires heat for disassembly.

Package: 50g×100pcs/carton 250g×20pcs/carton

Shelf Life: 24 months



SANVO Threadlocker SH-222

Features

SANVO Threadlocker SH-222 is a low-strength threadlocker that allows the adjustment of screws including countersunk head screws and set screws. Good on low-strength metals which could fracture during disassembly, e.g. aluminum or brass. The product works on all metals, including passive substrates such as stainless steel, aluminum and plated surfaces. It is proven to be tolerant of minor contamination due to industrial oils, e.g. motor oils, corrosion prevention oils and cutting fluids.

Application

Ideal for low-strength threadlocking of adjusting screws, countersunk head screws and set screws. Prevents loosening on vibrating assemblies, e.g. pumps, gear boxes or presses. Permits disassembly with hand tools. Especially suited to small thread sizes.

Package: 50g×100pcs/carton 250g×20pcs/carton

Shelf Life: 24 months



SANVO Threadlocker SH-246

Features

SANVO Threadlocker SH-246 is a blue, opaque, thixotropic, dimethacrylate ester acrylic threadlocker. It is particularly suitable for heavy duty applications such as bolts used in transmissions, construction equipment or railroad assemblies where resistance to heavy shock, vibration and stress levels is required along with exposure to elevated temperatures.

Application

Designed for the locking and sealing of threaded fasteners which require normal disassembly with standard hand tools. Thixotropic nature reduces the migration of liquid product after application. Resistant to heavy shock, vibration and stress levels. Resistant to exposure to elevated temperatures.

Package: 50g×100pcs/carton 250g×20pcs/carton

Shelf Life: 24 months



SANVO Threadlocker SH-263

Features

SANVO Threadlocker SH-263 is a red, dual cure, acrylic dimethacrylate ester fluorescent threadlocker designed for the permanent locking and sealing of threaded fasteners. It cures between close fitting metal surfaces and prevents loosening and leakage from shock and vibration. It works on active metals (e.g. brass, copper) and passive substrates such as stainless steel and plated surfaces.

Application

Designed for the permanent locking and sealing of threaded fasteners. Prevents loosening and leakage from shock and vibration. Particularly suited for heavy duty applications such as studs into motor housings where high strength is required. Provides robust curing performance. Offers high temperature performance and oil tolerance.

Package: 50g×100pcs/carton 250g×20pcs/carton

Shelf Life: 24 months



SANVO Threadlocker SH-2701

Features

High strength, low viscosity, green, methacrylate-based threadlocking adhesive which fluoresces under UV light to allow monitoring. SANVO Threadlocker SH-263 is a green, low viscosity, methacrylate-based threadlocking adhesive with high strength, especially for chromated surfaces. Steel fixture time of 10 min, brass 4 min and stainless steel 25 min. Tolerates slight contaminations of industrial oils. Suitable for all metal fasteners. Fluoresces under UV light.

Application

High strength, especially for chromated surfaces. Low viscosity. Fluoresces to allow quality control and inspection. Prevents unwanted movement, loosening, leaks and corrosion. Resists vibration. Seals threads - allows through-hole tapping.

Package: 50g×100pcs/carton 250g×20pcs/carton

Shelf Life: 24 months





SANVO Threadlocker SH-277

Features

Red, high strength, high viscosity methacrylate-based threadlocking adhesive, suited to large threads. Fluoresces to allow monitoring. SANVO Threadlocker SH-263 is a red, high strength, high viscosity, methacrylate-based threadlocking adhesive. It has a fixture time on steel of 30 min, brass 25 min and stainless steel 270 min making it ideal for applications where migration of the adhesive must be prevented. Can tolerate slight contaminations of industrial oils. Suited to large threads. Fluoresces to allow monitoring.

Application

High viscosity
Breakaway torque on M10 bolts of 32 Nm
Prevents unwanted movement, loosening, leaks and corrosion
Resists vibration
High strength
Suited to large threads

Package

50g×100pcs/carton 250g×20pcs/carton

Shelf Life: 24 months



SANVO High Performance Thread Sealant SH-100

Features

1. Medium strength, it is designed for the locking and sealing of metal pipes;
2. It prevents loosening and leakage due to shock and vibration;
3. It cures when confined in the absence of air between close-fitting metal surfaces;
4. Seals pipe joint against corrosion;
5. Resistant to oil and solvent;

Application

Sealing metal pipe threads and fittings in the fire control, marine, gas, water, instrument, air conditioning, hydraulic pipe and general fittings. It's also recommended for industrial plant and fluid power systems.

Package

50g×10pcs/box; 10 boxes/carton
250g×20pcs/box 1000g×10pcs/box

Shelf Life: 24 months

SANVO Structural Threadlocker SH-519

Features

Fast curing, high shear force, excellent impact resistance, vibration resistance, and medium resistance. It is suitable for bonding rigid materials and bonding and sealing of mechanical equipment with strong vibration.

Application

The main neodymium iron boron (speaker magnet), motor magnet, metal and metal, glass, crystal and other rigid materials for structural bonding and sealing, also known as magnetic steel special glue.

Package

50g×10pcs/box; 10 boxes/carton
250g×20pcs/box 1000g×10pcs/box

Shelf Life: 24 months



SANVO Anaerobic Flange Sealant SH-510

Features

High temperature resistant flange gasket, up to 200°C;
It adapts to flange surface irregularities;
It ensures an instant, low-pressure seal;

The product increases the torque capacity of assembled flanges;

Application

Typical applications include sealing rigid flange faces on transmissions and engine casings.

Package

50g×10pcs/box 4 boxes/carton

Shelf Life: 24 months



SANVO Anaerobic Flange Sealant SH-515

Features

1. Good flexibility, excellent resistance to corrosion;
2. Resistant to shock, chemical and high temperature of 150°C;
3. Ideal for machined metal components;


Application

It seals close fitting joints between rigid metal faces and flanges and will flex with minor flange movements. Typically used as a form-in-place gasket for pumps, thermostats, compressors, transmission housings and axle covers.

Package

50g×10pcs/box; 4 boxes/carton

Shelf Life: 24 months



Sanvo Liquid Gasket Sealant A120

Features

1. This product is of nitrile type, which is elastic after curing and has good shock resistance and sealing performance.
2. Resistant to various oils, gear oils, gasoline, diesel, water and other media.
3. Temperature resistance: -40~+200°C, hydraulic pressure resistance: 8.0MPa (80kg/cm²)

Application

1. Seals for automobile and motorcycle engine cylinder gaskets, oil chassis gaskets, intake and exhaust manifold gaskets, and gearbox chassis gaskets.
2. Various pipe thread seals.

Package: 80g×120pcs/carton

Shelf Life: 18 months





Adhesive



PU Windshield Adhesive (automotive)

Features

1. One component formulation;
2. Moisture curing polyurethane based adhesive;
3. High initial bond strength;
4. Can be overpainted;

Application

It is especially useful in bonding windshield glass into automotive frames.

Package: 310mlx20pcs/carton
Shelf Life: 9 months



Multi Purpose Contact Adhesive (neoprene)

Features

1. Fast drying;
2. Resistant to cold, moisture;
3. Multipurpose High bond strength;
4. Easy application;

Application

It's ideally suited for surface bonding or laminating of many materials that require immediate bonding, loading or processing, bonding wood, board, veneer, plastic, metal panel boards etc.

Package

250gx40cans/Carton
 500gx24cans/Carton
 1.7kg/2.5kgx6cans/Carton
 8kg/barrel; 10kg/barrel
Shelf Life: 18 months



Multi-purpose Contact Adhesive (SBS)

Features

1. Easily spreadable; immediately fixed;
2. High initial grab;
3. Free from odorous hydrocarbons;

Application

It's suitable to construction, automobile and advertising industries, bonding metal (Iron, Aluminum), rubber, plastic, leather, carton, fabric. Also for repairing shoes, bags, toys and carpets, or for DIY.

Package

380gx24cans/carton
 1.5kg/2kgx6cans/Box
 7kg/Barrel; 10kg/Barrel
Shelf Life: 12 months

Nails Free Adhesive

Features

1. Strong bonding property, high bonding strength
2. Excellent weathering-resistance, water-proof property
3. High flexibility, bonding power not affected by shrink of building
4. Suitable for filling gaps, cracks; paintable after curing
5. Excellent weathering-resistance, water-proof property
6. No drilling holes, easy to apply

Application

Replace nails to fix and bond wood, MDF board, gypsum board, stone, concrete, ceramics, metal, plastic, rubber, steel, PVC panels and other materials.

Package

300mlx24pcs/Carton
 50mlx24pcs/Box 6boxes/Carton
Shelf Life: 18 months



Liquid Structural Sealant

Features

1. Strong bond, easily extruded and easy to use.
2. Doesn't drip, sag or string, paintable after curing.
3. Easily extruded and easy to use in low winter temperatures.
4. No drilling holes, easy to apply.

Application

It's suitable for all kinds of light decorative materials. Replace nails to fix and bond wood, ceramics, metal, plastic, steel, PVC panels and other materials.

Package: 300mlx24pcs/carton
Shelf Life: 18 months



Beauty Grout Epoxy Sealant

Features

1. Wide range of colours.
2. Resistant to water, stains, oil and chemical products including fat, bases, oils detergents, soaps, salts, mild acids and mild alkalis, and common solvents.
3. Durable, long lasting and mould resistant.
4. Easy application. No on site mixing required.

Application

For tiled showers and kitchens, floors and walls, splash guard tiles over washbasins and worktops, surfaces under sinks or sinks, swimming pools, can be used both indoors and outdoors.

Package: 400mlx12pcs/carton
Shelf Life: 12 months





Waterproof Building Coating Series Products



Interior Paint

Mold-proof Interior Paint
E20CWM

Features
Mold proof
Moist resistant
Long lasting shine
Smooth coating film

Application
SANVO Mold-proof Interior Paint is suitable for interior decoration of bathroom, kitchen etc moist place.

Package
25kg/drum
20kg/drum

Shelf Life: 18 months



Family Guard Interior Paint
E76AWM

Features
Low VOC
Moist-proof
Good leveling
Silken film & long lasting shine

Application
SANVO Family Guard Emulsion Paint is specially developed for coating the wall of kid's room, bedroom and study room.

Package
20kg/drum

Shelf Life: 18 months



Air Cleaning Interior Paint
E20AWM

Features
Air cleaning
Aloe essence added
Good coverage
Excellent film

Application
SANVO Air Cleaning Interior Paint is widely used on interior decoration of various places, such as residences, hotels and projects. It can be coated on surface of concrete, brick wall, plasterboard etc.

Package
25kg/drum
20kg/drum

Shelf Life: 18 months





Washable Interior Paint

E75DWM

Features

Stain washable
Good adhesion
Excellent coverage
Moist-proof & water resistant

Application

SANVO Washable Interior Paint is good choice for high grade decoration in kid's room, parents' room and hotel.

Package

20kg/drum

Shelf Life: 18 months



Lucky & Healthy Interior Paint

EF2CWM

Features

Scrub resistant
Good coverage
Excellent adhesion
Good leveling

Application

SANVO Lucky & Healthy Interior Paint is middle grade coating, suitable for all types of wall coating, includes house, hotel, school, museum etc.

Package

25kg/drum
20kg/drum

Shelf Life: 18 months



Exterior Paint

Fluorocarbon Exterior Paint

FM619WM/FM617WM/FM609WM
FM606WM/FM636WM/FM635WM

Features

Weather resistant
Corrosion resistant
Durable & washable
Stain resistant
Water-proof and mold-proof

Application

SANVO Fluorocarbon Exterior Paint is high grade coating, can be widely used on high grade exterior decoration of hotel, house, museum, historic building.

Package

18L/drum

Shelf Life: 18 months

Acrylic Exterior Paint

SM906WM/SM909WM
SM916WM/SM917WM

Features

UV resistant
Chemical resistant
Metallic glossy
High hardness & fullness

Application

SANVO Acrylic Exterior Paint is suitable for exterior decoration on various place, such as residences, hotels and projects. It is colorful paint, includes matt, glossy, silver and gold color

Package

25kg/drum
20kg/drum

Shelf Life: 18 months



General Exterior Paint

E80AWM

Features

Good coverage
Easy application
Color customized
Economical

Application

SANVO General Exterior Paint is suitable for exterior wall of projects, good quality with competitive price.

Package

18L/drum

Shelf Life: 18 months



High Elasticity Exterior Paint

E85BWM

Features

High elasticity
Weather resistant
Excellent coverage
Crack repairing

Application


SANVO High Elasticity Exterior Paint is suitable for exterior wall of house and project, can be widely used on surface of concrete, brick wall, plasterboard etc

Package

20kg/drum


Shelf Life: 18 months

Recommended Waterproof Products For Each Area



Includes

Kitchen, Bathroom, Elevator shaft, Subway, Tunnel, Dugout, Underground Garage, Swimming Pool, Water Tower, Canal





Waterproof Coating

Fluorocarbon Acrylic Anti-leakage Waterproof Coating KC170WM

Features

Water based and eco friendly
Excellent water resistance
Outstanding weather resistance
Good adhesion
Corrosion resistant
High flexibility
Fast curing & easy application

Application

SANVO KC170 Fluorocarbon Acrylic Anti-leakage Waterproof Coating is suitable to waterproof construction for new buildings, repairing of buildings, especially for outdoor buildings. It can be used as a double-function coating for exterior wall waterproofing and decoration.

Package: 5kg/drum 12kg/drum
Shelf Life: 12 months



High Elastic Acrylic Waterproof Coating SW177WM

Features

Odourless and non-toxic
High elasticity, strength and adhesion
Easy application
Eco friendly

Application

SANVO SW177 High Elastic Acrylic Waterproof Coating is widely used on all kinds of metal roofing, wall, kitchen and bathroom, basement, pool, bridge seepage prevention, waterproof.

Package: 20kg/drum
Shelf Life: 12 months



Fluorocarbon Waterproof Coating KC901WM

Features

Excellent impermeability
Outstanding water resistance
Easy application
React with cement base to get better waterproof

Application

SANVO KC901 Fluorocarbon Waterproof Coating is widely used as the water resistant materials on Kitchen and bathroom, elevator shaft, subway, tunnel, air-raid shelter, underground garage, swimming pool, water tower, canal and so on.

Package: 20kg/drum
Shelf Life: 12 months



Epdm Waterproof Coating KC176WM

Features

Excellent aging resistance
Outstanding high and low temperature resistance
Air permeable and self-healing
Good adhesion
Excellent waterproof performance

Application

SANVO KC176 EPDM Waterproof Coating is widely used on roofs' waterproof of new and old building, do not need to do a protective layer. Good choice for waterproofing and maintenance of building expansion joints.

Package: 208g×12pcs/box
Shelf Life: 12 months



Super Flexible Polymer Waterproof Paste JSSFWM

Features

Fast drying, strong adhesion
Ozone resistant, acid and alkali resistant,
Adaptation to temperature
Non-flammable & non-toxic
Eco friendly
Excellent waterproof performance

Application

SANVO JS Super Flexible Polymer Waterproof Paste is widely used in following area

- 1.Waterproof of indoor and outdoor cement concrete structure, prefabricated structure, mortar brick wall, etc.
- 2.Waterproof of basement parking lot, tunnel, workshop, floor, wall, floor, hydropower project, etc.
- 3.Waterproof and moisture-proof of indoor bathroom, kitchen and balcony.

Package: 9kg/drum 18kg/drum
Shelf Life: 12 months



Single Component Waterbased Polyurethane Waterproof Coating KC173WM

Features

Eco friendly
Single component
Excellent adhesion and tensile
Outstanding elongation

Application

SANVO KC173 Single Component Waterbased Polyurethane Waterproof Coating is suitable to building roof, kitchen and bathroom, swimming pool and non-exposed waterproof construction.

Package: 5kg/drum 10kg/drum
Shelf Life: 12 months





Single Component Tile Adhesive FI06

FL06WM

Features

- Eco friendly
- Easy application
- Single component
- Special for glass and ceramic tile

Application

SANVO Single Component Tile Gum FL06 is specially developed for adhesion of ceramic tile. It is widely used in interior wall, floor, bathroom, kitchen and other decorative places, is an ideal bonding material. It also provides waterproof performance for the tile.

Package

1kg×4pcs/box 5kg/drum
9kg/drum 18kg/drum

Shelf Life: 12 months



Tough Waterproof Paste

K-11WM

Features

- Non-flammable & non-toxic
- Eco friendly
- Excellent adhesion
- Outstanding tensility

Application

SANVO K-11 Tough Waterproof Paste is especially suitable for waterproof and moisture-proof in toilet, kitchen and bath room. And also can be used on indoor and outdoor cement concrete structure, prefabricated structure, mortar brick wall. And waterproof of basement parking lot, workshop, floor, wall, floor, water and electricity engineering, waterproof treatment of all kinds of pool, exterior wall and other surface.

Package

5kg/drum 9kg/drum 18kg/drum

Shelf Life: 12 months



Crystal Porcelain Transparent Waterproof Adhesive

KC168WM

Features

- Water based
- Quick drying
- Transparent color
- Economical
- Heat resistant
- Excellent waterproof performance

Application

SANVO KC168 Crystal Porcelain Transparent Waterproof Adhesive is suitable for waterproof decoration on ceramic tile, mosaic and marble exterior wall of various buildings. It is widely used on the interior walls of kitchen and toilet, and also can be used as waterproof and anti-seepage of various reservoirs, swimming pools, sewage pools, baths, fish pools, fire pools, etc.

Package:5kg/drum
Shelf Life: 12 months



Permeable Crystalline Waterproof Coating

SW116WM

Features

- Automatic repair micro-cracks
- Anti-aging
- Easy application
- Eco friendly

Application

SANVO SW116 Permeable Crystalline Waterproof Coating is suitable for waterproof construction of concrete structure surface, plugging construction of structure cracking and water seepage, hole, waterproof and plugging construction of tunnel, culvert, reservoir, underground parking lot floor, wall panel, roof, toilet bath room, etc., waterproof construction of all cement-based surface.

Package:20kg/drum
Shelf Life: 12 months





Flexible Blue Crystal Waterproof Paste K-11WM



Features

- Excellent permeability resistance
- High water pressure resistant
- Acid and alkali resistant
- Anti-aging & anti-corrosion
- Eco friendly

Application

SANVO K-11 Flexible Blue Crystal Pavilion Waterproof Paste is widely used as waterproof materials on basement, kitchen and bathroom, balcony,ditch,inside and outside walls,etc.

Package
18kg/drum

Shelf Life: 12 months

Superior Elastic Waterproof Coating JSFEWM



Features

- Good permeability resistance
- Excellent adhesion
- Can be directly used on the wet concrete base surface
- Excellent waterproof performance
- Anti-aging
- Eco friendly

Application

SANVO JS Superior Elastic Waterproof Coating is widely used as waterproof materials on basement, kitchen and bathroom, balcony,ditch,inside and outside walls,etc.

Package
20kg/drum

Shelf Life: 12 months

Emulsion Waterproof Coating KC101WM



Features

- Water based and eco friendly
- Single component
- Excellent water resistance
- Easy application

Application

SANVO KC101 JS Emulsion Waterproof Coating is widely used as waterproof materials on basement, kitchen and bathroom, balcony,ditch,inside and outside walls,etc.

Package
25kg/drum

Shelf Life: 12 months

Master Of Leakage Plugging MPWM



Features

- High strength and long lasting protection
- Moistureproof,can be used on wet and water place.
- Anti-seepage and anti-leakage
- Easy application
- Odourless and eco friendly

Application

SANVO Master of Leakage Plugging is a specially coating used for seepage prevention and plugging of underground works, walls, ditches, pools, toilets, etc.

Package
1KG×20pcs/box
2KG×10pcs/box
5KG×4pcs/box

Shelf Life: 12 months

Water-leakage Repair Coating KC189WM



Features

- Excellent compression and impact resistance
- Good adhesion and excellent durability
- Frost resistant, salt resistant
- Weather resistant and alkali resistant
- Easy application
- Eco friendly

Application

SANVO KC189 Water-leakage Repair Coating is used to repair ceiling cracks, holes,wall or ground potholes, cracks, pockmarked surface, pavement,building expansion joints,pools, gutters,coating layer,marble,ceramic tile auxiliary paste, etc. To fix the water-leakage issue.

Package
5kg×3bags/box

Shelf Life: 12 months



FURNITURE&DECORATION PAINT SERIES PRODUCTS





PU Primer

Superior Clear PU Primer

CD0887GWM

Features

- Excellent coverage
- Excellent transparent
- Easy to polish
- Quick drying

Application

SANVO Superior Clear PU Primer is suitable for all types of solid wood and general sticker furniture.

Package

- 25kg/drum
- 20kg/drum
- 4kg×4pcs / box

Shelf Life: 1 year



Pearl PU Primer

CD218WM

Features

- Good leveling
- Silken film & pearl color
- Quick drying
- Easy to polish

Application

SANVO Pearl PU Primer is suitable for coating on solid wood furniture and MDF board.

Package

- 25kg/drum
- 20kg/drum
- 4kg×4pcs / box

Shelf Life: 1 year



High Coverage Pearl PU Primer

CD0485WM

Features

- Excellent coverage
- Silken film & pearl color
- Quick drying
- Easy to polish

Application

SANVO High Coverage Pearl PU Primer is suitable for coating on high grade wood furniture.

Package

- 25kg/drum
- 20kg/drum
- 4kg×4pcs / box

Shelf Life: 1 year



Odour-less Superior Clear PU Primer

CD313WM

Features

- Odour-less
- Excellent transparent
- Easy to polish
- Quick drying

Application

SANVO Odour-less Superior Clear PU Primer is suitable for mid grade solid wood and general sticker furniture.

Package

- 20kg/drum

Shelf Life: 1 year

Odour-less Pearl PU Primer

CD0405JWM

Features

- Odour-less
- Silken film & pearl color
- Quick drying
- Easy to polish

Application

SANVO Odour-less Pearl PU Primer is suitable for coating on high grade solid wood furniture

Package

- 25kg/drum

Shelf Life: 1 year





PU Top Coating

Glossy Clear PU Paint CM0583WM

Features

Easy application
Good leveling
Can be recoated
Customized glossiness

Application

SANVO Glossy Clear PU Paint is suitable for mid grade sofa, wooden door, desk, table etc furnitures.

Package

20kg/drum
4kg×8pcs / box

Shelf Life:

1 year



Scratch Resistant Glossy Clear PU Paint CM3970WM

Features

Scratch Resistant
Excellent transparent
Good leveling
Silken film

Application

SANVO Scratch Resistant Glossy Clear PU Paint is suitable for coating on high grade wood furniture.

Package

20kg/drum
4kg×8pcs / box

Shelf Life:

1 year



Crystal Clear PU Paint CG0183WM

Features

Good leveling
High glossy
HB Hardness
Water white color

Application


SANVO Crystal Clear PU Paint is suitable for coating on mid grade wood furniture, especially for glossy transparent coating on furniture.

Package

20kg/drum
4kg×8pcs / box

Shelf Life:

1 year



Anti-yellowing Glossy White PU Paint CG0683WM

Features

High Glossy
Anti-yellowing
Excellent fullness & coverage
Good leveling

Application

SANVO Anti-yellowing Glossy White PU Paint is suitable for high grade solid wood furniture and cabinets.

Package

20kg/drum
4kg×8pcs / box

Shelf Life:

1 year

Glossy Pearl PU Paint CM1280WM-X

Features

Good leveling
Silken film & white color
Economical
Customized glossiness

Application


SANVO Glossy Pearl PU Paint is suitable cabinets and general grade furniture, economical choice for market.

Package

20kg/drum
Shelf Life: 1 year



BRAKE FLUID SERIES PRODUCTS



Brake Fluid

Brake Fluid HZY6WM

Features

Excellent anti-air-blocking performance at high-temperature
Good low-temperature flow performance
Rust resistant
Excellent thermal stability & chemical stability
Long working life

Application

SANVO HZY6 brake fluid is suitable for all types of vehicles, especially medium to high-end vehicles equipped with ABS, ESP, ASC + T, and ASR systems.

Package: 500g/bottle

Shelf Life: 3 years



Premium Synthetic Brake Fluid DOT4WM

Features

Good thermal stability, chemical stability and rubber adaptability
Stable kinematic viscosity at high-low temperature
No corrosion to brake system
High boiling point of dry and wet equilibrium reflux

Application

SANVO Premium Brake Fluid DOT4 is especially recommended for vehicles equipped with ABS, ESP and other systems, as well as sports cars, modified cars and some racing cars.

Package: 1L/bottle

Shelf Life: 3 years



Premium Synthetic Brake Fluid DOT3WM

Features

High temperature resistant
Good thermal stability, chemical stability and rubber adaptability
Excellent low temperature flow performance

Application

SANVO Premium Synthetic Brake Fluid DOT3 is suitable for all kinds of automobile disc, drum and anti-skid brake system and clutch system.

Package: 500g/bottle

Shelf Life: 3 years

